

Roll No.

--	--	--	--	--	--	--	--	--	--	--	--

Total No. of Pages : 03

Total No. of Questions : 09

B.Tech. (2011 to 2017) (Sem.-2)
ENGINEERING MATHEMATICS – II
Subject Code : BTAM-102
Paper ID : [A1111]

Time : 3 Hrs.

Max. Marks : 60

INSTRUCTIONS TO CANDIDATES :

1. **SECTION-A is COMPULSORY** consisting of TEN questions carrying TWO marks each.
2. **SECTION - B & C.** have FOUR questions each.
3. Attempt any FIVE questions from **SECTION B & C** carrying EIGHT marks each.
4. Select atleast TWO questions from **SECTION - B & C.**

SECTION-A

1. a) Solve the differential equation: $ydx - xdy = y^2x^3dx$
b) Solve the differential equation $\frac{dy}{dx} + y = x^3y^6$
c) Solve the differential equation $\frac{d^2y}{dx^2} + \frac{dy}{dx} + y = 0$
d) Write down the general Cauchy's homogeneous equation and explain the transformation to solve this differential equation. <http://www.punjabpapers.com>
e) A particle is executing simple harmonic motion with amplitude 5 meters and time period 4 seconds. Find the time required by the particle in passing between points which are at distances 4 and 2 meters from the centre of force and are on the same side of it.
f) Find the rank of the matrix $\begin{bmatrix} 2 & 0 & 1 \\ 5 & 1 & 0 \\ -1 & 1 & -3 \end{bmatrix}$
g) Define Hermitian matrix.
h) Discuss the convergence of a geometric series.
i) What is meant by conditionally convergent series? Give example,
j) Find real and imaginary parts of $\cosh z$.

SECTION-B

- Q2. a) Solve the Differential equation by finding an integrating factor:

$$(y^2 + x^2 + 2x)dx + 2ydy = 0$$

- b) Solve the differential equation : $y = 2px + y^2p^3$, where $p = \frac{dy}{dx}$

- Q3. a) Solve the differential equation $\frac{d^2y}{dx^2} - 2\frac{dy}{dx} + y = e^x \sin x$

- b) Solve by using variation of parameter method: $\frac{d^2y}{dx^2} - 2\frac{dy}{dx} + 2y = e^x \tan x$

- Q4. If an e.m.f $E \sin \omega t$ is applied to a circuit containing a resistance R , an inductance L and a condenser of Capacity C . The charge on the condenser at time t satisfies the equation

$$L \frac{d^2q}{dt^2} + R \frac{dq}{dt} + \frac{q}{c} = E \sin \omega t. \quad \text{http://www.punjabpapers.com}$$

If $R = 2\sqrt{LC}$, solve the differential equation for q .

- Q5. Solve the following system of equations :

$$\frac{d^2x}{dt^2} - 3x - 4y = 0$$

$$\frac{d^2y}{dt^2} + x + y = 0$$

SECTION-C

- Q6. a) For what values of λ and μ do the system of equations :

$$2x+3y+5z=9, \quad 7x+3y-2z=8, \quad 2x+3y+\lambda z=\mu \text{ have}$$

- (i) no solution
- (ii) unique solution
- (iii) infinite many solutions

b) Find the eigen values and eigen vectors of the following matrix : $\begin{bmatrix} 1 & 1 & 3 \\ 1 & 5 & 1 \\ 3 & 1 & 1 \end{bmatrix}$

Q7. a) Discuss the convergence or divergence of the series $\sum_{n=1}^{\infty} \frac{1}{n^p}, p > 0$

<http://www.punjabpapers.com>

b) For what values of x does the following series converge $\sum_{n=1}^{\infty} \frac{x^n}{n}$

Q8. a) solve the equation $(1 + x)^n = (1 - x)^n$, n is any positive integer.

b) If $x + iy = \cosh(u + iv)$ then show that $\frac{x^2}{\cosh^2 u} + \frac{y^2}{\sinh^2 v}$

Q9. Find the sum of the trigonometric series

$$\sin \alpha + x \sin(\alpha + \beta) + \frac{1}{2.1} x^2 \sin(\alpha + 2\beta) + \dots \infty$$